

Trail™

Outdoor background.

Trail. Outdoor background.

Collection 4

Technical info

Terracotta Emiliana 36

Terracotta Toscana 38

Mix Stone Bianco 40

Mix Stone Greige 42

Quarzite Bianca 44

Quarzite Grigia 46

Piasentina Greige 48

Porfido Mix 50

Trail™ Outdoor background.



Street and open-air furniture enters a new design dimension with Trail, a collection designed to pave urban and residential outdoor settings with natural elegance, versatility and performance excellence. This born-to-be-urban project broadens the horizons of outdoor public design.



Four modular, combinable formats, 20x20 and 20x30, 60x60 and 60x90, ensure wide laying variability and, thanks to two special 18mm and 20mm thicknesses, it offers ultimate performance in terms of resistance and durability. Available in multiple styles inspired by stones and terracotta with powerful textures, this heterogeneous and versatile range always finds the right expressive key to any urban & outdoor design context.





QUAR BIA 60ASRM . QUAR BIA 69ASRM



PIAS GRE18 20 . PIAS GRE18 23

Trail. Outdoor inspirations.




MXST BIA18 20 . MXST BIA18 23 . MXST BIA 60ASRM . MXST BIA 69ASRM



PORF MIX18 20 . MK.PORF MIX18 1 . PORF MIX18 E20



PIAS GRE 60ASRM . PIAS GRE 69ASRM



PORF MIX 60ASRM . PORF MIX 69ASRM



Pavements and plazas, walkways and driveways, patios, gardens and parks. Trail offers the opportunity to find the ideal balance between elegance and performance in the most diverse and challenging types of urban and residential outdoor spaces. And thanks to its strong non-slip characteristics, it is also the ideal solution for swimming pool areas and any other environment that requires high safety guarantees.



MXST GRE 60ASRM . MXST GRE 69ASRM . MXST GRE BP60AS



QUAR GRI 60ASRM . QUAR GRI 69ASRM . QUAR GRI BP60AS . QUAR GRI GP60AS



MXST GRE18 20 . MXST GRE18 23



QUAR BIA18 20 . QUAR BIA18 23



By presenting styles inspired by stones with powerful textures, Trail always finds the right aesthetic key for creating perfect urban and outdoor design installations in the surrounding contexts that surround us. Now, with two new textures inspired by the warm shades of terracotta, it has expanded its expressive palette to offer the chance of creating paving in which the essential charm of rural and landscape architecture is combined with excellent technical performance.






QUAR GRI18 20 . QUAR GRI18 23

Trail. Outdoor inspirations.



PORF MIX18 23 . PORF MIX18 20 . PORF MIX18 E20 . PORF MIX18 AE20



QUAR BIA18 23



QUAR BIA18 23 . MK.QUAR BIA18 2

Trail. Outdoor inspirations.






QUAR BIA18 20


Trail. Outdoor inspirations.




PIAS GRE18 23

TERRACOTTA EMILIANA






20x20 - 8"x8"


20x30 - 8"x12"

    TCOT EMI18 20

    TCOT EMI18 23


60x60 - 24"x24"



60x90 - 24"x36"


    TCOT EMI 60ASRM

    TCOT EMI 69ASRM

TERRACOTTA TOSCANA






20x20 - 8"x8"


20x30 - 8"x12"

TCOT TOS18 20

TCOT TOS18 23


60x60 - 24"x24"


60x90 - 24"x36"

TCOT TOS 60ASRM

TCOT TOS 69ASRM

MIX STONE BIANCO



20x20 - 8"x8"

20x30 - 8"x12"

MXST BIA18 20

MXST BIA18 23

60x60 - 24"x24"

60x90 - 24"x36"

MXST BIA 60ASRM

MXST BIA 69ASRM

MIX STONE GREIGE



20x20 - 8"x8"

20x30 - 8"x12"

MXST GRE18 20

MXST GRE18 23


60x60 - 24"x24"

60x90 - 24"x36"

MXST GRE 60ASRM

MXST GRE 69ASRM

QUARZITE BIANCA



20x20 - 8"x8"

20x30 - 8"x12"

35,5x42 - 4"x16,5"

29,6x37,6 - 11,6"x14,8"

QUAR BIA18 20

QUAR BIA18 23

MK.QUAR BIA18 1

MK.QUAR BIA18 2

60x60 - 24"x24"

60x90 - 24"x36"


QUAR BIA 60ASRM

QUAR BIA 69ASRM

QUARZITE GRIGIA




20x20 - 8"x8"


20x30 - 8"x12"


35,5x42 - 4"x16,5"



29,6x37,6 - 11,6"x14,8"


QUAR GRI18 20

QUAR GRI18 23

MK.QUAR GRI18 1

MK.QUAR GRI18 2


60x60 - 24"x24"



60x90 - 24"x36"


QUAR GRI 60ASRM

QUAR GRI 69ASRM


PIASENTINA GREIGE




20x20 - 8"x8"


20x30 - 8"x12"


35,5x42 - 4"x16,5"



29,6x37,6 - 11,6"x14,8"


PIAS GRE18 20

PIAS GRE18 23

MK.PIAS GRE18 1

MK.PIAS GRE18 2



60x60 - 24"x24"


60x90 - 24"x36"


PIAS GRE 60ASRM

PIAS GRE 69ASRM

PORFIDO MIX






 20x20 - 8"x8"


 20x30 - 8"x12"



 35,5x42 - 4"x16,5"


 29,6x37,6 - 11,6"x14,8"


 60x60 - 24"x24"


 60x90 - 24"x36"

SPECIAL PIECES



TCOT EMI18	TCOT EMI18 E20	TCOT EMI18 E23	TCOT EMI18 AE20	TCOT EMI L30	TCOT EMI18 SB23
TCOT TOS18	TCOT TOS18 E20	TCOT TOS18 E23	TCOT TOS18 AE20	TCOT TOS L30	TCOT TOS18 SB23
MXST BIA18	MXST BIA18 E20	MXST BIA18 E23	MXST BIA18 AE20	MXST BIA L30	MXST BIA18 SB23
MXST GRE18	MXST GRE18 E20	MXST GRE18 E23	MXST GRE18 AE20	MXST GRE L30	MXST GRE18 SB23
QUAR BIA18	QUAR BIA18 E20	QUAR BIA18 E23	QUAR BIA18 AE20	QUAR BIA L30	QUAR BIA18 SB23
QUAR GRI18	QUAR GRI18 E20	QUAR GRI18 E23	QUAR GRI18 AE20	QUAR GRI L30	QUAR GRI18 SB23
PIAS GRE18	PIAS GRE18 E20	PIAS GRE18 E23	PIAS GRE18 AE20	PIAS GRE L30	PIAS GRE18 SB23
PORF MIX18	PORF MIX18 E20	PORF MIX18 E23	PORF MIX18 AE20	PORF MIX L30	PORF MIX18 SB23

PACKAGING

FORMATO NOMINALE NOMINAL SIZE	BORDO EDGE	SPESSORE THICKNESS	SCATOLA / BOX			PALLET		
			PZ/BOX PCS/BOX	MQ/BOX SM/BOX	KG/BOX KG/BOX	BOX/PALLET BOXES/PALLET	MQ/PALLET SM/PALLET	KG/PALLET KG/PALLET
20x20-8"x8"	NATURAL	18	20	0,80	31,90	36	28,80	1164,40
20x30-8"x12"	NATURAL	18	10	0,60	23,95	48	28,80	1165,60
35,5x42-14"x16,5" MOSAIC	NATURAL	18	4	0,59	24,018	14	8,35	352,25
29,6x37,6-11,6"x14,8" MOSAIC	NATURAL	18	4	0,44	17,865	42	18,70	766,33
60x60-24"x24"	RECTIFIED	20	2	0,72	32,80	32	23,04	1069,60
60x90-24"x36"	RECTIFIED	20	1	0,54	24,08	48	25,92	1175,60


TECHNICAL FEATURES SPECIFICATIONS

DIN EN 16165 Annex B (DIN 51130) (R)	DIN EN 16165 Annex A (DIN 51097) (A+B+C)	BCR REP. CEC 6/81		DM 14/6/89 N. 236		PENDULUM TEST BS (INGLESE)	PENDULUM TEST AS/NZS 4856:2004 (AUSTRALIANO)	PENDULUM TEST UNE ENV 12633:2003 (SPAGNOLO)	BOT 3000 (DCOF)
		G.A.	G.B.	C.A.	G.B.				
R11	B+C	>0.4	>0.4	>0.4	>0.4	>36	>45	3	>0,42

SPECIAL PIECES



TCOT EMI	TCOT EMI SB60AS	TCOT EMI BP60AS	TCOT EMITOP60AS	TCOT EMIGR336AS
TCOT TOS	TCOT TOS SB60AS	TCOT TOS BP60AS	TCOT TOSTOP60AS	TCOT TOSGR336AS
MXST BIA	MXST BIA SB60AS	MXST BIA BP60AS	MXST BIATOP60AS	MXST BIAGR336AS
MXST GRE	MXST GRE SB60AS	MXST GRE BP60AS	MXST GRETOP60AS	MXST GREGR336AS
QUAR BIA	QUAR BIA SB60AS	QUAR BIA BP60AS	QUAR BIATOP60AS	QUAR BIAGR336AS
QUAR GRI	QUAR GRI SB60AS	QUAR GRI BP60AS	QUAR GRITOP60AS	QUAR GRIGR336AS
PIAS GRE	PIAS GRE SB60AS	PIAS GRE BP60AS	PIAS GRETOP60AS	PIAS GREGR336AS
PORF MIX	PORF MIX SB60AS	PORF MIX BP60AS	PORF MIXTOP60AS	PORF MIXGR336AS







TCOT EMI	TCOT EMI AZ60AS	TCOT EMI S 60AS	TCOT EMI GP60AS	TCOT EMI L 60AS	TCOT EMI L 90AS
TCOT TOS	TCOT TOS AZ60AS	TCOT TOS S 60AS	TCOT TOS GP60AS	TCOT TOS L 60AS	TCOT TOS L 90AS
MXST BIA	MXST BIA AZ60AS	MXST BIA S 60AS	MXST BIA GP60AS	MXST BIA L 60AS	MXST BIA L 90AS
MXST GRE	MXST GRE AZ60AS	MXST GRE S 60AS	MXST GRE GP60AS	MXST GRE L 60AS	MXST GRE L 90AS
QUAR BIA	QUAR BIA AZ60AS	QUAR BIA S 60AS	QUAR BIA GP60AS	QUAR BIA L 60AS	QUAR BIA L 90AS
QUAR GRI	QUAR GRI AZ60AS	QUAR GRI S 60AS	QUAR GRI GP60AS	QUAR GRI L 60AS	QUAR GRI L 90AS
PIAS GRE	PIAS GRE AZ60AS	PIAS GRE S 60AS	PIAS GRE GP60AS	PIAS GRE L 60AS	PIAS GRE L 90AS
PORF MIX	PORF MIX AZ60AS	PORF MIX S 60AS	PORF MIX GP60AS	PORF MIX L 60AS	PORF MIX L 90AS

Angolari DX e SX disponibili a richiesta. / RH and LH angle bracket available on request.

pecial pieces and backgrounds can have slightly different shades from one another.
There can be a slight colour difference on the edge between the surface and the main ceramic piece.

Technical Specifications Porcelain Stoneware

ACCORDING TO
UNI EN 14411 - G Bla

CARATTERISTICA Specification	METODO DI PROVA Test methods	REQUISITI PREVISTI DALLA NORMA Requirements in accordance to the standards	VALORE MEDIO Average value
 DIMENSIONI E ASPETTO DIMENSIONS AND APPEARANCE	ISO 10545-2	PROSPETTO G.1 PROSPECT G.1	CONFORME COMPLIANT
 ASSORBIMENTO D'ACQUA WATER ABSORPTION	ISO 10545-3	≤ 0,5%	< 0,1%
 RESISTENZA A FLESSIONE FLEXURAL RESISTANCE		min./МИН 35 N/mm ²	> 45 N/mm ²
SFORZO DI ROTTURA MODULUS OF RUPTURE	ISO 10545-4	SPESSORE / THICKNESS ≥ 7,5 mm: min. 1300N	6,5 mm 1800 N* SPESSORE* / THICKNESS* 10 mm 3000 N*
		SPESSORE / THICKNESS < 7,5 mm: min. 1300 N	20 mm 13000 N*
 RESISTENZA ALL'ABRAZIONE PROFONDA DEEP ABRASION RESISTANCE	ISO 10545-6	≤ 175 mm ³	< 140 mm ³
 COEFFICIENTE DILATAZIONE TERMICA LINEARE (α) LINEAR EXPANSION THERMIC COEFFICIENT	ISO 10545-8	METODO DISPONIBILE AVAILABLE ON REQUEST	≤ 7x10 ⁻⁶ °C ⁻¹
 RESISTENZA AGLI SBALZI TERMICI RESISTANCE TO SUDDEN TEMPERATURE CHANGES	ISO 10545-9	METODO DISPONIBILE AVAILABLE ON REQUEST	RESISTE RESISTANT
 RESISTENZA AL GELO FROST RESISTANCE	ISO 10545-12	RICHIESTA ALWAYS TESTED	RESISTE RESISTANT
 PRODOTTI CHIMICI AD USO DOMESTICO ED ADDITIVI PER PISCINA HOUSEHOLD CHEMICALS AND SWIMMING POOL WATER CLEANERS		min. B МИН. B	min. B МИН. B
ACIDI ED ALCALI A BASSA CONCENTRAZIONE ACIDS AND LOW CONCENTRATION ALKALIS	ISO 10545-13	DA LA, LB A LC FROM LA, LB TO LC	DA LA, LB A LC FROM LA, LB TO LC
ACIDI ED ALCALI AD ALTA CONCENTRAZIONE ACIDS AND HIGH CONCENTRATION ALKALIS		METODO DISPONIBILE AVAILABLE ON REQUEST	METODO DISPONIBILE AVAILABLE ON REQUEST
 RESISTENZA ALLE MACCHIE UGL STAIN RESISTANCE UGL	ISO 10545-14	METODO DISPONIBILE AVAILABLE ON REQUEST	METODO DISPONIBILE AVAILABLE ON REQUEST
RESISTENZA ALLE MACCHIE GL STAIN RESISTANCE GL		min. 3 МИН. 3	min. 3 МИН. 3

* VALUES REFERRED TO 60X60 SIZE

Symbols

INDICAZIONI D'USO INDICATIONS FOR USE



Pavimento
Floor tiles

DESTINAZIONI D'USO SUGGESTED APPLICATIONS



Esterni
Outdoor floor

SUPERFICI SURFACES

Finitura
Finish



Naturale
Natural

Aspetto superficiale
Surface look



Opaco
Matt

STONALIZZAZIONE SHADE VARIATION

V3



SPESSORE THICKNESS

18

20

CARATTERISTICHE DI VENDITA SALES CHARACTERISTICS



Imballo.
Packaging.



Prodotto venduto al pezzo.
Product sold per item.

Tutti i nostri prodotti, sia al mq che al pezzo, sono venduti unicamente a scatola completa.
All our products are sold only in complete boxes, whether the unit of measure is per item or per square metre.



QUANTUM

TILES. STONE. CORK.

Improving life's spaces.

0800 525 585
hello@qcg.co.nz

Palmerston North Showroom
20 Kaimanawa Street, Kelvin Grove

Auckland Showroom
21 Davis Crescent, Newmarket

in  f

www.qcg.nz

